

L Number	Hits	Search Text	DB	Time stamp
2	99225	(frame or spacer) and (adhesive or sealant)	USPAT; US-PGPUB	2003/06/10 09:22
3	23553	(frame or spacer) and (adhesive or sealant)	USOCR	2003/06/10 09:22
4	26477	(frame or spacer) and (adhesive or sealant)	EPO; JPO; DERWENT	2003/06/10 09:23
6	269	156/108 and ((frame or spacer) and (adhesive or sealant))	USPAT; US-PGPUB	2003/06/10 09:24
7	283	156/109 and ((frame or spacer) and (adhesive or sealant))	USPAT; US-PGPUB	2003/06/10 09:24
8	504	428/34 and ((frame or spacer) and (adhesive or sealant))	USPAT; US-PGPUB	2003/06/10 09:24
9	133	52/204.62 and ((frame or spacer) and (adhesive or sealant))	USPAT; US-PGPUB	2003/06/10 09:24
11	62	156/108 and ((frame or spacer) and (adhesive or sealant))	USOCR	2003/06/10 09:25
12	20	156/109 and ((frame or spacer) and (adhesive or sealant))	USOCR	2003/06/10 09:25
13	32	428/34 and ((frame or spacer) and (adhesive or sealant))	USOCR	2003/06/10 09:25
14	0	52/204.62 and ((frame or spacer) and (adhesive or sealant))	USOCR	2003/06/10 09:25
19	0	52/204.62 and ((frame or spacer) and (adhesive or sealant))	EPO; JPO; DERWENT	2003/06/10 09:25
5	300	156/107 and ((frame or spacer) and (adhesive or sealant))	USPAT; US-PGPUB	2003/06/10 10:07
20	227	(156/108 and ((frame or spacer) and (adhesive or sealant))) not (156/107 and ((frame or spacer) and (adhesive or sealant)))	USPAT; US-PGPUB	2003/06/10 10:42
21	97	(156/109 and ((frame or spacer) and (adhesive or sealant))) not ((156/108 and ((frame or spacer) and (adhesive or sealant))) or (156/107 and ((frame or spacer) and (adhesive or sealant))))	USPAT; US-PGPUB	2003/06/10 10:46
22	298	(428/34 and ((frame or spacer) and (adhesive or sealant))) not ((156/109 and ((frame or spacer) and (adhesive or sealant))) or (156/108 and ((frame or spacer) and (adhesive or sealant))) or (156/107 and ((frame or spacer) and (adhesive or sealant))))	USPAT; US-PGPUB	2003/06/10 11:05
23	108	52/204.62 and ((frame or spacer) and (adhesive or sealant))) not ((428/34 and ((frame or spacer) and (adhesive or sealant))) or (156/109 and ((frame or spacer) and (adhesive or sealant))) or (156/108 and ((frame or spacer) and (adhesive or sealant))) or (156/107 and ((frame or spacer) and (adhesive or sealant))))	USPAT; US-PGPUB	2003/06/10 11:05
10	23	156/107 and ((frame or spacer) and (adhesive or sealant))	USOCR	2003/06/10 11:09
24	61	(156/108 and ((frame or spacer) and (adhesive or sealant))) not (156/107 and ((frame or spacer) and (adhesive or sealant)))	USOCR	2003/06/10 11:11
25	15	(156/109 and ((frame or spacer) and (adhesive or sealant))) not ((156/108 and ((frame or spacer) and (adhesive or sealant))) or (156/107 and ((frame or spacer) and (adhesive or sealant))))	USOCR	2003/06/10 11:12
26	20	(428/34 and ((frame or spacer) and (adhesive or sealant))) not ((156/109 and ((frame or spacer) and (adhesive or sealant))) or (156/108 and ((frame or spacer) and (adhesive or sealant))) or (156/107 and ((frame or spacer) and (adhesive or sealant))))	USOCR	2003/06/10 13:01
15	2	156/107 and ((frame or spacer) and (adhesive or sealant))	EPO; JPO; DERWENT	2003/06/10 13:04
16	1	156/108 and ((frame or spacer) and (adhesive or sealant))	EPO; JPO; DERWENT	2003/06/10 13:04
17	1	156/109 and ((frame or spacer) and (adhesive or sealant))	EPO; JPO; DERWENT	2003/06/10 13:04
18	11	428/34 and ((frame or spacer) and (adhesive or sealant))	EPO; JPO; DERWENT	2003/06/10 13:08
27	5357	frame same ((adhesive or sealant or sealing) with (two or dual or different))	USPAT; US-PGPUB	2003/06/10 13:10
28	1331	frame with ((adhesive or sealant or sealing) near5 (two or dual or different))	USPAT; US-PGPUB	2003/06/10 13:12
29	342	(window or windshield or glazing) and (frame with ((adhesive or sealant or sealing) near5 (two or dual or different)))	USPAT; US-PGPUB	2003/06/10 13:51
30	104	(window or windshield or glazing) and (frame with ((adhesive or sealant or sealing) near5 (two or dual or different)))	USOCR	2003/06/10 13:52
31	224	(window or windshield or glazing) and (frame with ((adhesive or sealant or sealing) near5 (two or dual or different)))	EPO; JPO; DERWENT	2003/06/10 14:44
-	2	"58161950"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 15:10

-	24	"244332"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 15:12
-	2	"19502006"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 15:56
-	2	((housing or cover or frame) same metal) and window and ((seal or adhesive) same glass same (melt\$3 near2 (temperature or point)))	EPO; JPO; DERWENT	2003/06/05 16:05
-	101	((housing or cover or frame) same metal) and window and ((seal or adhesive) same glass same (melt\$3 near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/05 16:07
-	1	("4812420").PN.	USPAT; US-PGPUB	2003/06/08 14:49
-	1	"3622419".PN.	USPAT	2003/06/08 14:49
-	13	4812420.URPN.	USPAT	2003/06/08 14:50
-	104	((housing or cover or frame) same metal) and window and ((seal or adhesive) same glass same (melt\$3 near2 (temperature or point)))	USOCR	2003/06/08 19:09
-	3	((("3210699") or ("3058210") or ("2720009")).PN.	USPAT; US-PGPUB	2003/06/08 19:21
-	1	(frame with metal) and ((window or cover or lid) with glass) and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/08 19:47
-	67	(frame with metal) and ((window or cover or lid) with glass) and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:10
-	1611	(melting near2 (point or temperature)) with epoxy	USPAT; US-PGPUB	2003/06/09 09:50
-	785	(melting adj (point or temperature)) near5 epoxy	USPAT; US-PGPUB	2003/06/09 10:06
-	194	((melting adj (point or temperature)) near5 epoxy) with low	USPAT; US-PGPUB	2003/06/09 10:18
-	18	(thermoset or thermosetting) with (melting adj point) with (harden or hardening or hardened)	USPAT; US-PGPUB	2003/06/09 11:10
-	13452	(adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower)	USPAT; US-PGPUB	2003/06/09 11:12
-	4496	(adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower)	USOCR	2003/06/09 13:44
-	9771	(adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower)	EPO; JPO; DERWENT	2003/06/09 13:44
-	46	156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:04
-	11	257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59
-	3	257/432 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59
-	11	257/434 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59
-	0	257/437 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59
-	8	257/680 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59

-	68	428/34 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 11:59
-	0	250/330 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	1	250/331 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	1	250/332 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	250/333 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	250/334 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	348/162 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	348/164 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	348/166 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	348/167 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	0	348/168 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	12	156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 12:00
-	46	(156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) not (156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower)))	USPAT; US-PGPUB	2003/06/09 12:17
-	10	(257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) not ((156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))))	USPAT; US-PGPUB	2003/06/09 12:24
-	1	("6136122").PN.	USPAT; US-PGPUB	2003/06/09 12:24
-	1	("6136128").PN.	USPAT; US-PGPUB	2003/06/09 12:24
-	2	(257/432 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) not ((257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))))	USPAT; US-PGPUB	2003/06/09 12:25

-	1	(250/331 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) not ((250/330 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (428/34 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/680 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/434 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/432 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))))	USPAT; US-PGPUB	2003/06/09 12:52
-	0	(250/332 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) not ((250/331 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (250/330 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (428/34 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/680 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/434 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/432 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/292 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))) or (156/108 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))))	USPAT; US-PGPUB	2003/06/09 12:52

[illegible]

-	1	257/433 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/09 13:06
-	1	257/680 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/09 13:06
-	6	(("6432253") or ("6428650") or ("6307590") or ("4295152") or ("4135789") or ("5352852")).PN.	USPAT; US-PGPUB	2003/06/09 13:43
-	0	438/116 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USOCR	2003/06/09 13:44
-	0	438/118 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USOCR	2003/06/09 13:44
-	0	438/121 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USOCR	2003/06/09 13:44
-	0	438/116 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/09 13:44
-	0	438/118 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/09 13:44
-	0	438/121 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	EPO; JPO; DERWENT	2003/06/09 13:44
-	2	438/116 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 14:11
-	32	438/118 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 14:12
-	11	438/121 and ((adhesive or sealant or frit or glass or resin) with ((melt\$3 or soft\$5) near2 (temperature or point)) with (less or smaller or below or lower))	USPAT; US-PGPUB	2003/06/09 14:18
-	696	438/121	USPAT; US-PGPUB	2003/06/09 14:19
-	1616	438/118	USPAT; US-PGPUB	2003/06/09 14:19
-	159	438/116	USPAT; US-PGPUB	2003/06/09 14:19
-	81	438/434	USPAT; US-PGPUB	2003/06/09 14:19
-	901	438/680	USPAT; US-PGPUB	2003/06/09 15:19
-	1	("5352852").PN.	USPAT; US-PGPUB	2003/06/09 14:23
-	2	("4760440" "4855808").PN.	USPAT	2003/06/09 14:23
-	12	5352852.URPN.	USPAT	2003/06/09 14:24
-	559	257/680	USPAT; US-PGPUB	2003/06/09 16:52
-	366	257/434	USPAT; US-PGPUB	2003/06/09 16:26
-	342	257/434	EPO; JPO; DERWENT	2003/06/09 16:27
-	235	257/434 and (adhesive or sealant or glass or frit or sealing or resin or solder)	EPO; JPO; DERWENT	2003/06/09 16:27
-	238	257/434 and (adhesive or sealant or glass or frit or sealing or resin or solder or agent)	EPO; JPO; DERWENT	2003/06/09 16:52
-	204	257/680 not 257/434	EPO; JPO; DERWENT	2003/06/09 16:52
-	459	257/680 not 257/434	USPAT; US-PGPUB	2003/06/09 16:53
-	2	(("6559539") or ("6147389")).PN.	USPAT; US-PGPUB	2003/06/09 16:53
-	157	(257/680 not 257/434) and (adhesive or sealant or glass or frit or sealing or resin or solder or agent)	EPO; JPO; DERWENT	2003/06/09 19:00

-	159	438/116	USPAT; US-PGPUB	2003/06/09 19:01
-	0	438/116 and ((melt\$3 or soft\$5) near2 (temperature or point))	EPO; JPO; DERWENT	2003/06/09 19:02
-	25	438/116 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:04
-	1	438/116 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:04
-	314	438/118 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:05
-	0	438/118 and ((melt\$3 or soft\$5) near2 (temperature or point))	EPO; JPO; DERWENT	2003/06/09 19:05
-	0	438/120 and ((melt\$3 or soft\$5) near2 (temperature or point))	EPO; JPO; DERWENT	2003/06/09 19:05
-	119	438/121 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:13
-	280	(438/118 and ((melt\$3 or soft\$5) near2 (temperature or point))) not (438/121 and ((melt\$3 or soft\$5) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:14
-	2	438/118 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:24
-	45	438/121 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:26
-	0	250/330 and ((melt\$3 or soft\$5) near2 (temperature or point))	EPO; JPO; DERWENT	2003/06/09 19:26
-	0	250/331 and ((melt\$3 or soft\$5) near2 (temperature or point))	EPO; JPO; DERWENT	2003/06/09 19:27
-	2	250/330 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:29
-	32	250/330 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:29
-	11	250/331 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:29
-	2	250/331 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:29
-	6	348/164 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:30
-	0	348/166 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:30
-	0	348/167 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:30
-	0	348/168 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:30
-	0	348/162 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:30
-	0	348/166 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:31
-	0	348/167 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:31
-	0	348/168 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:32
-	0	348/169 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:32
-	0	348/169 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:32
-	0	348/168 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:33
-	0	348/167 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:33
-	0	348/166 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:33
-	0	348/162 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:33
-	1	348/162 and ((melt\$3 or soft\$5) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:33
-	1	348/164 and ((melt\$3 or soft\$5) near2 (temperature or point))	USOCR	2003/06/09 19:33
-	1	348/164 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:34
-	0	250/334 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:34
-	1	438/116 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	2	438/118 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	45	438/121 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	2	250/330 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	2	250/331 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	1	250/332 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:35
-	1	250/333 and ((melt\$3 or soften\$3) near2 (temperature or point))	USOCR	2003/06/09 19:36
-	206	428/34 and ((melt\$3 or soften\$3) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:38
-	9	52/204.62 and ((melt\$3 or soften\$3) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:37
-	69	156/108 and ((melt\$3 or soften\$3) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:37
-	78	156/109 and ((melt\$3 or soften\$3) near2 (temperature or point))	USPAT; US-PGPUB	2003/06/09 19:37

-	2	52/204.62 and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:39
-	19	156/108 and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:40
-	40	156/109 and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:40
-	59	428/34 and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:41
-	24	428/34 and frame and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:54
-	44	428/34 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:56
-	34	156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:46
-	1	52/204.62 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:44
-	10	156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USPAT; US-PGPUB	2003/06/09 19:44
-	33	(156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) not (156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point))))	USPAT; US-PGPUB	2003/06/09 19:51
-	20	(428/34 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) not ((52/204.62 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) or (156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) or (156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) or ((156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) not (156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point))))))	USPAT; US-PGPUB	2003/06/09 19:52
-	20	(428/34 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) not ((52/204.62 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) or (156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))) or (156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point))))	USPAT; US-PGPUB	2003/06/09 19:52
-	0	52/204.62 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USOCR	2003/06/09 19:57
-	0	428/34 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	EPO; JPO; DERWENT	2003/06/09 19:57
-	0	52/204.62 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	EPO; JPO; DERWENT	2003/06/09 19:57
-	0	156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	EPO; JPO; DERWENT	2003/06/09 19:57
-	5	428/34 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USOCR	2003/06/09 20:23
-	1	156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USOCR	2003/06/09 20:28
-	5	156/109 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	USOCR	2003/06/09 20:28
-	1	156/108 and (frame or spacer or sash) and ((adhesive or seal\$3) with ((melt\$3 or soften\$3) near2 (temperature or point)))	EPO; JPO; DERWENT	2003/06/09 20:29